Risk Assessment	Manufacturer: Lingong Heavy Machinery Co., Ltd. machine: Mobile Elevated Work Platform	author: Lingong date: 2023.04.01	
according to AS 4024.1301	serial number: AR14J-H		LGMG

Determination of limits, intended use	See below	Reference to additional documents							
use allowed	The mobile elevated work platform	allows users to work at a certain height	Manual						
restrictions, limits of use allowed	The machine cannot be used to oth	ner propose	Manual						
foreseeable misuse/misapplication	See AS/NZS 1418.10:2011 clause 1:	See AS/NZS 1418.10:2011 clause 1: scope.							
Field of use	See below								
private	N/A		N/A						
commercial	Professional		Manual						
User population	Task	Qualification							
qualified personnel	Required	YES	Training Evidence						
laities	N/A	N/A	N/A						
apprentices	N/A	N/A	N/A						
private use only:									
children (declare age class )	age above years		N/A						
older people			N/A						
handicapped	kind of handicap		N/A						
Materials	See below								
dangerous operating supplies	🛛 Electricity 🖾 Hydraulic 🗌 Pneu	umatic  Thermal  Radiation	Manual						
Dangerous materials in the parts the machine is consisting of	The machine is not consisting of da	angerous materials	Manual						
4.3 Dangerous materials which may be processed by the machine No dangerous materials processed by the machine									
hooting, fault clearance, maintenance, placing out of operation, TÜV SÜD Product Service GmbH aimler-Straße 7 derstadt 9 (0)711 7005-295; Fax: -587	disassembling, waste disposal	107-30-720050	k assessment-AR14J-H date: 01/04/2024 page 1 of 27						
	use allowed         restrictions, limits of use allowed         foreseeable misuse/misapplication         Field of use         private         commercial         User population         qualified personnel         laities         apprentices         private use only:         children (declare age class )         older people         handicapped         Materials         dangerous operating supplies         Dangerous materials in the parts the machine is consisting of         Dangerous materials which may be processed by the machine         ress of life according to AS 4024 include: transport, assembling, nooting, fault clearance, maintenance, placing out of operation,         TÜV SÜD Product Service GmbH aimler-Straße 7 erstadt         erstadt       2(0)(711 7005-295; Fax: -587	use allowed       The mobile elevated work platform         restrictions, limits of use allowed       The machine cannot be used to ott         foreseeable misuse/misapplication       See AS/NZS 1418.10:2011 clause 1:         Field of use       See below         private       N/A         commercial       Professional         User population       Task         qualified personnel       Required         laities       N/A         apprentices       N/A         private use only:	use allowed       The mobile elevated work platform allows users to work at a certain height         restrictions, limits of use allowed       The machine cannot be used to other propose         foreseeable misuse/misapplication       See AS/NZS 1418.10:2011 clause 1: scope.         Field of use       See below         private       NA         commercial       Professional         User population       Task       Qualification         qualified personnel       Required       YES         latities       N/A       N/A         apprentices       N/A       N/A         apprentices       N/A       N/A         private use only:						

ac		ssessmen to AS 4024	nt	Manufacturer: Lingong Heavy Machinery machine: Mobile Elevated Work Platform serial number: AR14J-H		author: Lingong date: 2023.04.01		
	Identification of hazards				Risk evaluation			on, AS 4024 or ISO or type I/II/III
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	S F P pl	Statement
1 Tra	nsport, assembli	ng, installation						

ac		ssessmen to AS 4024	-	Manufacturer: Lingong Heavy Machinery machine: Mobile Elevated Work Platform serial number: AR14J-H	-	author: Lingong date: 2023.04.01						
	Identific	ation of hazards			Risk evaluation						tion, AS 4024 or ISO 1 or type I/II/III	
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution Standards			F	Р	pl	Statement	
	Hazards associated with all tasks	<ul> <li>Errors of fitting</li> <li>Lifting</li> <li>Loading</li> <li>Packing</li> <li>Transportation</li> <li>Unloading</li> <li>Unpacking</li> <li>Packing</li> <li>Adjustments</li> <li>Adjustments</li> <li>Assembly</li> <li>Connecting to disposal system (e.g. exhaust system, waste water installation)</li> <li>Connection to power supply</li> <li>Demonstration</li> <li>Feeding, filling, loading of ancillary fluids (e.g.</li> </ul>	<ul> <li>☑ Crushing</li> <li>☑ Cutting or severing</li> <li>□ Friction or abrasion</li> <li>☑ Impact</li> <li>□ Injection</li> <li>☑ Shearing</li> <li>☑ Stabbing or puncture</li> </ul>	Machine , components and accessories	Inherently safe machinery design and inform users of the residual risks: Detail description for transportation, assembling and installation of machine are mentioned in manual.	AS/NZS 1418.10:2011 and MSD as reference,					ок	

a		ssessmen to AS 4024	-	Manufacturer: Lingong Heavy Machinery machine: Mobile Elevated Work Platform serial number: AR14J-H		author: Lingong date: 2023.04.01		
	Identification of hazards						ion, AS 4024 or ISO 1 or type I/II/III	
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	S F P pl	Statement
		lubricant, grease, glue)						

a	_	ssessmen to AS 4024	-	Manufacturer: Lingong Heavy Machiner machine: Mobile Elevated Work Platforn serial number: AR14J-H	author: Lingong date: 2023.04.01						
	Identific	cation of hazards			Risk evaluation		Ri				on, AS 4024 or ISO or type I/II/III
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	s	F	Ρ	pl	Statement
1.2	Hazards associated with all tasks	<ul> <li>☑ Fixing, anchoring</li> <li>☑ Preparations for the installation (e.g. foundations, vibration isolators)</li> <li>☑ Running the machine without load</li> <li>☑ Testing</li> <li>☑ Trials with load or maximum load</li> <li>□ Fencing</li> </ul>	See above	See above	See above	AS/NZS 1418.10:2011 and MSD as reference,					ОК
2.1	acing into operati Hazards associated with all tasks	on Refer to 1+3 ogramming, change	Refer to 1+3	Refer to 1+3	Refer to 1+3	Refer to 1+3					ок

a		ssessmen to AS 4024	-	Manufacturer: Lingong Heavy Machiner machine: Mobile Elevated Work Platform serial number: AR14J-H	author: Lingong date: 2023.04.01					
	Identifie	cation of hazards						n, AS 4024 or ISO r type I/II/III		
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal Description of solution Standard			S F	Рp	bl	Statement
3.1	Hazards associated with all tasks	<ul> <li>Adjustment and setting of protective devices and other components</li> <li>Adjustment and setting or verification of functional parameters of the machine</li> <li>Clamping /fastening the workpiece</li> <li>Feeding, filling, loading of raw material</li> <li>XFunctional test, trials</li> <li>Mounting or changing tools, tool setting verification</li> <li>Verification of the final product</li> </ul>	<ul> <li>☐ Crushing</li> <li>☐ Cutting or severing</li> <li>☐ Friction or abrasion</li> <li>☑ Impact</li> <li>☐ Injection</li> <li>☑ Shearing</li> <li>☑ Stabbing or puncture</li> </ul>	Machine and components	Inherently safe machinery design and inform users of the residual risks: Refer to AS/NZS 1418.10:2011, clause 7 and manual	AS/NZS 1418.10:2011 + AS 60204.1-2005(+A1) + MSD as reference,				Κ

risk assessment-AR14J-H date: 01/04/2024 page 6 of 27

a	_	ssessmen to AS 4024	-	Manufacturer: Lingong Heavy Machinery machine: Mobile Elevated Work Platform serial number: AR14J-H		author: Lingong date: 2023.04.01		
	Identification of hazards				Risk evaluation			ion, AS 4024 or ISO 1 or type I/II/III
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	S F P pl	Statement

a		ssessmen to AS 4024	t	Manufacturer: Lingong Heavy Machinery machine: Mobile Elevated Work Platform serial number: AR14J-H		author: Lingong date: 2023.04.01				
	Identific	ation of hazards			Risk evaluation		Risk			ion, AS 4024 or ISO 1 or type I/II/III
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	SF	Р	pl	Statement
4 Wo	rking process									

a		ssessmen to AS 4024	-	Manufacturer: Lingong Heavy Machinery Co., Ltd. machine: Mobile Elevated Work Platform serial number: AR14J-H		author: Lingong date: 2023.04.01						
	Identific	cation of hazards			Risk evaluation					tion, AS 4024 or ISO -1 or type I/II/III		
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	S F P p		pl	Statement		
4.1	Mechanical Hazards	<ul> <li>Acceleration, deceleration (kinetic energy)</li> <li>Angular parts</li> <li>Approach of a moving element to a fixed part</li> <li>Cutting parts</li> <li>Cutting parts</li> <li>Elastic elements</li> <li>Falling objects</li> <li>Gravity (stored energy)</li> <li>Height from the ground</li> <li>High pressure</li> <li>Machinery mobility</li> <li>Rotating elements</li> <li>Rough, slippery surface</li> <li>Sharp edges</li> </ul>	<ul> <li>Being run over</li> <li>Being thrown</li> <li>Crushing</li> <li>Crushing or severing</li> <li>Drawing-in or trapping</li> <li>Entanglement</li> <li>Friction or abrasion</li> <li>Impact</li> <li>Injection</li> <li>Shearing</li> <li>Slipping, tripping and falling</li> <li>Stabbing or puncture</li> <li>Suffocation</li> </ul>		Inherently safe machinery design and construction, take necessary protection measures and inform users of the residual risks: Refer to AS/NZS 1418.10:2011, clause 7 and manual	AS/NZS 1418.10:2011 + AS 60204.1-2005(+A1)				ok		

risk assessment-AR14J-H date: 01/04/2024 page 9 of 27

a	-	ssessmen to AS 4024	-	Manufacturer: Lingong Heavy Machinery machine: Mobile Elevated Work Platform serial number: AR14J-H		author: Lingong date: 2023.04.01		
	Identific	ation of hazards					ion, AS 4024 or ISO 1 or type I/II/III	
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	S F P pl	Statement
		⊠Stability ⊡Vacuum						

a		Assessmen to AS 4024	-			author: Lingong date: 2023.04.01					
	Identifie	cation of hazards				Risk				tion, AS 4024 or ISC 1 or type I/II/III	
Phase of life				occurrence or protection goal	Description of solution	Standards	s	6 F	Р	pl	Statement
4.2	See 4.1/4.3	See 4.1/4.3	See 4.1/4.3	See 4.1/4/3	See 4.1/4.3	See 4.1/4/3	Τ		Τ		See 4.1/4.3
4.3	Electrical Hazards	<ul> <li>□ Arc</li> <li>□ Electromagnetic phenomena</li> <li>○ Electrostatic phenomena</li> <li>○ Live parts</li> <li>□ Not enough distance to live parts under high voltage</li> <li>○ Overload</li> <li>○ Parts which have become live under fault conditions</li> <li>○ Short-circuit</li> <li>□ Thermal radiation</li> </ul>	⊠Burn         □Chemical         effects         □Effects on         medical         implants         ⊠         Electrocution         ⊠Falling,         being thrown         ⊠Fire         □Projection         of molten         particles         ⊠Shock	Any risk related to electrical fault will be checked automatically and view check according to manual	Inherently safe machinery design and construction: Refer to AS/NZS 1418.10:2011 + AS 60204.1-2005(+A1) No electronic circuit for safety circuit	AS/NZS 1418.10:2011 + AS 60204.1-2005(+A1) as reference,					See 4.1

a	Risk Assessment according to AS 4024.1301			Manufacturer: Lingong Heavy Machiner machine: Mobile Elevated Work Platform serial number: AR14J-H	author: Lingong date: 2023.04.01						
	Identific	ation of hazards			Ris					tion, AS 4024 or ISO 1 or type I/II/III	
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	s	F	Ρ	pl	Statement
4.4	Thermal Hazards	<ul> <li>Explosion</li> <li>Flame</li> <li>Objects or materials with a high or low temperature</li> <li>Radiation from heat sources</li> </ul>	□Bun □Dehydration □Discomfort □Frostbite □Injuries by the radiation of heat sources □Scald	Not relevant	Not relevant	N/A					N/A

Risk A according	to AS 4024		Manufacturer: Lingong Heavy Machiner machine: Mobile Elevated Work Platform serial number: AR14J-H		author: Lingong date: 2023.04.01	-			
Identific	cation of hazards			Risk evaluation		Risl			tion, AS 4024 or IS -1 or type I/II/III
Phase Hazard group, of life type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	s	F	P p	Statement
4.5 Noise hazards	high speed Manufacturing process (stamping, cutting etc) Moving parts Scraping surfaces Unbalanced rotating parts Whisting pneumatics Worn parts	<ul> <li>☑ Discomfort</li> <li>☑ Loss of awareness</li> <li>☑ Loss of balance</li> <li>☑ Permanent hearing loss</li> <li>☑ Stress</li> <li>☑ Tinnitus</li> <li>☑ Tiredness</li> <li>☑ Any other (e.g. mechanical, electrical) as a consequence of an interference with speech communicatio n or with acoustic signals</li> </ul>	Refer to comments.	Inform users of the residual risks: The manual has indicated the sound pressure level below 70dB	AS/NZS 1418.10:2011+MSD				ОК

a		ssessmen to AS 4024	-	Manufacturer: Lingong Heavy Machinery machine: Mobile Elevated Work Platform serial number: AR14J-H		author: Lingong date: 2023.04.01																											
	Identific	ation of hazards			Risk evaluation		Ri				ion, AS 4024 or ISO I or type I/II/III																						
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	s	F	Р	pl	Statement																						
4.6	Vibration Hazards	<ul> <li>□ Cavitation phenomena</li> <li>□ Misalignment of moving parts</li> <li>□ Mobile equipment</li> <li>□ Scraping surfaces</li> <li>□ Unbalanced rotating parts</li> <li>□ Vibrating equipment</li> <li>□ Worn parts</li> </ul>	<ul> <li>☑ Discomfort</li> <li>☑ Low-back morbidity</li> <li>☑ Neurological discorder</li> <li>☑ Osteo- articular discorder</li> <li>☑ Trauma of the spine</li> <li>☑ Vascular disorder</li> </ul>	Vibration will neither make the passenger uncomfortable nor damage the structure	Inherently safe machinery design protects the vibration from discomforting passengers and from damaging the structure. Dynamic load test performed and found satisfactory	AS/NZS 1418.10:2011					ОК																						

a	Risk Assessment according to AS 4024.1301 Identification of hazards			machine: Mobile Elevated Work Platform			author: Lingong date: 2023.04.01				
	Identifie	cation of hazards			Risk evaluation		Ris				on, AS 4024 or ISO I or type I/II/III
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	s	F	Ρ	pl	Statement
4.7	Radiation Hazards	<ul> <li>□Lionising radiation source</li> <li>□Low frequency electromagnetic radiation</li> <li>□Optical radiation linfrared, visible and ultraviolet), including laser</li> <li>□Radio frequency electromagnetic radiation</li> </ul>	Genetic mutation	Not relevant	Not relevant	N/A					N/A

Risk A according	Assessmen to AS 4024	-	Manufacturer: Lingong Heavy Machiner machine: Mobile Elevated Work Platform serial number: AR14J-H		author: Lingong date: 2023.04.01				
Identifi	cation of hazards			Risk evaluation		Risk		tion, AS 4024 or ISO -1 or type I/II/III	
Phase Hazard group, of life type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	S F	P pl		
4.8 Material/ substance hazards	<ul> <li>Aerosol</li> <li>Biological and microbiological (viral or bacterial) agent</li> <li>Combustible</li> <li>Dust</li> <li>Explosive</li> <li>Fibre</li> <li>Flammable</li> <li>Fluid</li> <li>Fume</li> <li>Gas</li> <li>Mist</li> <li>Oxidizer</li> </ul>	□Breathing         difficulties,         suffocation         □Cancer         □Corrosion         □Effects on         reproductive         capability         ☑Fire         □Infection         □Mutation         □Poisoning         □Sensitization         □Static         electricity risk	Not relevant	Not relevant	N/A			N/A	

	Assessmen   to AS 4024				bile Elevated Work Platform date: 2023.04.01					
Identi	fication of hazards			Risk evaluation		Risk			tion, AS 4024 or ISO -1 or type I/II/III	
Phase Hazard group of life type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	S F	Р	pl	Statement	
4.9 Ergonomic hazards	☑ Access         ☑ Disign or         location of         indicators and         visual displays         units         ☑ Design, location         or identification of         control devices         □ Effort         □ Flicker,         dazzling, shadow,         stroboscopic         effect         □ Local lighting         □ Mental         overload/underloa         d         □ Posture         □ Repetitive         activity         □ Visibility	Discomfort	The position of control device need to be taken into account The access means need to be taken into account	Inherently safe machinery design	AS/NZS 1418.10:2011 as reference,				Ж	

a		ssessmen to AS 4024	-	Manufacturer: Lingong Heavy Machiner machine: Mobile Elevated Work Platform serial number: AR14J-H		author: Lingong date: 2023.04.01	.01							
	Identific	ation of hazards			Risk evaluation		R				ion, AS 4024 or ISO I or type I/II/III			
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	s	F	Ρ	pl	Statement			
4.10	Hazards associated with environment in which the machine is used	<ul> <li>☑ Dust and fog</li> <li>☑ Electromagnetic disturbance</li> <li>☑ Lighting</li> <li>☑ Moisture</li> <li>☑ Pollution</li> <li>☑ Snow</li> <li>☑ Temperature</li> <li>☑ Water</li> <li>☑ Wind</li> <li>□ Lack of oxygen</li> </ul>	<ul> <li>□ Burn</li> <li>□ Slight disease</li> <li>□ Slipping, falling</li> <li>□ Suffocation</li> <li>□ Any other as a consequence of the effect caused by the sources of the hazards on the machine or parts of the machine</li> </ul>	Working condition and EMC need to be considered	Inherently safe machinery design and construction and inform users of the residual risks: 1.2204/108/EEC addressed 2. Lighting for the control panel is provided and the lighting for access is indicated in the manual 3. Snow, wind loads are considered in the design and structural calculation 4. Ambient temperature is defined in the manual 5. All electric parts are protected by the enclosure with enough IP degree according to AS/NZS 1418.10:2011	AS/NZS 1418.10:2011 + MSD as reference,					ОК			
4.11	Combination of hazards	E.g.repetitive activity + effort + high environmental temperature	E.g. dehydration, loss of awareness, heat stroke	Not relevant	Not relevant	N/A					N/A			

а		Assessmen to AS 4024	-	Manufacturer: Lingong Heavy Machiner machine: Mobile Elevated Work Platforn serial number: AR14J-H		author: Lingong date: 2023.04.01				
	Identifi	cation of hazards			Risk evaluation		Risk			on, AS 4024 or ISO   or type I/II/III
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	S I	P	pl	Statement
4.12	Energy loss ,breaking down hazards	<ul> <li>➢ Failure of energy supply (incl. control circuits)</li> <li>➢ Unexpected ejection of machine parts or fluid</li> <li>□ Errors of fitting</li> </ul>	□ Being         thrown         □ Cutting or         severing         □ Drawing-in         or trapping         □         Entanglement         □ Friction or         abrasion         □ Injection         □ Shearing         □ Slipping,         tripping and         falling         □ Suffocation	All risk related to unexpected starting or energy loss need to be taken into account	Inherently safe machinery design and construction, take necessary protection measures: 1. Brakes and cut-off valves are designed to be engaged as soon as the power losses, preventing the lift from falling.	AS/NZS 1418.10:2011 + AS 60204.1-2005(+A1) + MSD as reference,				OK

risk assessment-AR14J-H date: 01/04/2024 page 19 of 27

a	_	ssessmen to AS 4024	-	Manufacturer: Lingong Heavy Machinery machine: Mobile Elevated Work Platform serial number: AR14J-H	author: Lingong date: 2023.04.01			
	Identification of hazards						ion, AS 4024 or ISO 1 or type I/II/III	
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	S F P pl	Statement

ac	Risk Assessment according to AS 4024.1301		-			author: Lingong date: 2023.04.01					
	Identifica	ation of hazards			Risk evaluation		Ris				on, AS 4024 or ISO or type I/II/III
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	s	F	Р	pl	Statement
5 Cle	aning										

	Assessmen g to AS 4024	-	Manufacturer: Lingong Heavy Machinery machine: Mobile Elevated Work Platform serial number: AR14J-H	-	author: Lingong date: 2023.04.01		
lden	ification of hazards			Risk evaluation			tion, AS 4024 or ISO 1 or type I/II/III
Phase Hazard grou of life type	o, Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	S F P pl	Statement
5.1 Hazards associated wir all tasks	Adjustments         □Cleaning, disinfection         □Dismantling /removal of parts, components, devices of the machine         □Housekeeping         △Isolation end energy dissipation         △Lubrication         △Replacement of worn parts         □Resetting         □Verification of parts, components, devices of the machine	<ul> <li>☑ Crushing</li> <li>☑ Cutting or severing</li> <li>☑ Friction or abrasion</li> <li>☑ Impact</li> <li>☑ Injection</li> <li>☑ Shearing</li> <li>☑ Stabbing or puncture</li> </ul>	Machine , components and accessories	Inherently safe machinery design and inform users of the residual risks: Refer to AS/NZS 1418.10:2011 and manual	AS/NZS 1418.10:2011 + MSD as reference,		ОК

risk assessment-AR14J-H date: 01/04/2024 page 22 of 27

ac	_	ssessmer to AS 4024	-	Manufacturer: Lingong Heavy Machinery machine: Mobile Elevated Work Platform serial number: AR14J-H		author: Lingong date: 2023.04.01		
	Identific	ation of hazards			Risk evaluation			n, AS 4024 or ISO or type I/II/III
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	S F P pl	Statement

ac	Risk Assessment			Manufacturer: Lingong Heavy Machinery machine: Mobile Elevated Work Platform serial number: AR14J-H	author: Lingong date: 2023.04.01						
						Risk			tion, AS 4024 or ISO 1 or type I/II/III		
Phase of life				occurrence or protection goal	Description of solution	Standards	s I	- Р	pl	Statement	
	Hazards associated with all tasks	☑ Adjustments         ☑ Dismantling         /removal of parts,         components,         devices of the         machine         ☑ Faultfinding         ☑ Isolation end         energy dissipation         ☑ Recovering         from control and         protective devices         failure         □ Recovering         from jam         ☑ Repairing         ☑ Replacement of         parts,         components,         devices of the         machine         ☑ Rescue of         trapped persons         ☑ Resetting	<ul> <li>□ Crushing</li> <li>□ Cutting or severing</li> <li>□ Friction or abrasion</li> <li>□ Impact</li> <li>□ Injection</li> <li>□ Shearing</li> <li>□ Stabbing or puncture</li> </ul>	Machine , components and accessories	Inherently safe machinery design and inform users of the residual risks: Refer to AS/NZS 1418.10:2011 clause 5 and manual	AS/NZS 1418.10:2011+ AS 60204.1-2005(+A1) + MSD as reference				ОК	

risk assessment-AR14J-H date: 01/04/2024 page 24 of 27

Risk Assessment according to AS 4024.1301			-	Manufacturer: Lingong Heavy Machinery machine: Mobile Elevated Work Platform serial number: AR14J-H	author: Lingong date: 2023.04.01						
	Identification of hazards					Risk estimation, AS 4024 or I 13849-1 or type I/II/III					
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	s	F	Р	pl	Statement
		Verification of parts, components, devices of the machine									

a		ssessmen co AS 4024	-	Manufacturer: Lingong Heavy Machinery machine: Mobile Elevated Work Platform serial number: AR14J-H		author: Lingong date: 2023.04.01		
	Identific	ation of hazards			Risk evaluation			ion, AS 4024 or ISO 1 or type I/II/III
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	S F P pl	Statement

associat	Hazards associated with all tasks	Adjustments	Crushing	Machine , components and accessories	Inherently safe machinery design and inform users of the residual risks:	AS/NZS 1418.10:2011 as reference	ок
		<ul> <li>☑ Dismantling /removal of parts, components, devices of the machine</li> <li>☑ Housekeeping</li> <li>☑ Isolation end energy dissipation</li> <li>☑ Lubrication</li> </ul>	<ul> <li>□ Friction or abrasion</li> <li>□ Impact</li> <li>□ Injection</li> <li>□ Shearing</li> <li>□ Stabbing or puncture</li> </ul>		Refer to AS/NZS 1418.10:2011 clause 7		
		<ul> <li>☑ Replacement of worn parts</li> <li>☑ Resetting</li> </ul>					
		☐Restoring fluid levels					
		⊠ Verification of parts, components, devices of the machine					

8 Placing out of operation, disassembling, waste disposal

Copyright: TÜV SÜD Product Service GmbH Gottlieb-Daimler-Straße 7 70794 Filderstadt phone: +49 (0)711 7005-295; Fax: -587

risk assessment-AR14J-H date: 01/04/2024 page 26 of 27

Risk Assessment			-	Manufacturer: Lingong Heavy Machinery machine: Mobile Elevated Work Platform serial number: AR14J-H	author: Lingong date: 2023.04.01						
									ation, AS 4024 or ISO 9-1 or type I/II/III		
Phase of life	Hazard group, type	Origin group, type	Potential consequences	occurrence or protection goal	Description of solution	Standards	s	F	Ρ	pl	Statement
8.1	Hazards associated with all tasks	<ul> <li>☑ Disconnection and energy dissipation</li> <li>☑ Dismantling</li> <li>☑ Lifting</li> <li>☑ Loading</li> <li>☑ Packing</li> <li>☑ Transportation</li> <li>☑ Unloading</li> </ul>	<ul> <li>□ Crushing</li> <li>□ Crushing or severing</li> <li>□ Friction or abrasion</li> <li>□ Impact</li> <li>□ Injection</li> <li>□ Shearing</li> <li>□ Stabbing or puncture</li> </ul>	Machine , components and accessories	Inherently safe machinery design and inform users of the residual risks: Refer to AS/NZS 1418.10:2011	AS/NZS 1418.10:2011 as reference					ок